CCD Full Spectrum Analyzer



Overview

Spark CCD 7000 – NCS GermanyWith its high-resolution CCD detector, wide spectral range from 160 to 800 nm and precise spectral analysis, the SparkCCD 7000.

Key Takeaways

A CCD Full Spectrum Analyzer uses a charge-coupled device to capture and analyze the full range of wavelengths in a sample, enabling rapid, high-resolution spectral measurements for diverse scientific and industrial applications.

Overview

A CC

D Full Spectrum Analyzer employs a charge-coupled device (CCD) as its detector to capture light across a wide spectral range, from ultraviolet (UV) to near-infrared (NIR). Unlike single-point detectors, CCDs allow simultaneous acquisition of multiple wavelengths, providing fast, high-resolution, and comprehensive spectral data. These analyzers are widely used in optical emission spectrometry (OES), UV/VIS spectroscopy, and fluorescence measurements for both research and industrial applications.

Key FeaturesFull-spectrum detection: CCD analyzers can scan a broad wavelength range, such as 130–900 nm in metal analysis or UV/VIS ranges in spectrophotometry. High resolution and sensitivity: Linear or two-dimensional CCD arrays provide precise spectral resolution and high sensitivity, enabling detection of trace elements or subtle spectral features. Rapid data acquisition: CCDs capture the entire spectrum in a single measurement, often in less than a second, which is ideal for real-time monitoring and kinetic studies.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Flexible optical systems: Many analyzers include argon-purged or heated optical systems to improve stability and reduce interference, allowing accurate measurements across multiple elements or compounds. Software integration: Modern CCD analyzers come with software for spectral acquisition, analysis, and calibration, supporting tasks like absorbance, transmittance, emission intensity, and equilibrium studies.

Applications

Material and metal analysis: CCD-based OES analyzers, such as the SparkCCD 7000 or PG Spark, are used for elemental analysis of ferrous and non-ferrous metals, including iron, steel, aluminum, copper, and alloys. Chemical and biochemical research: UV/VIS CCD spectrophotometers and fluorometers measure absorbance, transmittance, and fluorescence for chemical reactions, enzyme kinetics, and colorimetric assays. Scientific spectroscopy: CCD detectors are integrated with imaging spectrographs for custom spectroscopy solutions, covering UV to NIR ranges for research in physics, chemistry, and materials science.

Telecom and photonics: Optical spectrum analyzers using CCDs can analyze fiber-coupled or free-space light sources, resolve Fabry-Perot modes, and measure gas absorption lines.

Advantages

Simultaneous multi-wavelength detection eliminates the need for scanning monochromators. High stability and low maintenance due to solid-state detectors and optimized optical systems. Versatility across different materials and spectral ranges without hardware changes.

Fast and efficient operation, suitable for both routine industrial analysis and advanced research applications. In summary, a CCD Full Spectrum Analyzer is a versatile, high-performance instrument that combines speed, precision, and broad spectral coverage, making it essential for modern analytical laboratories, industrial quality control, and scientific research.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Article Content

Spark CCD 7000 – NCS Germany

With its high-resolution CCD detector, wide spectral range from 160 to 800 nm and precise spectral analysis, the SparkCCD 7000 enables accurate determination of the chemical composition of metals,

CCD Spectrophotometer / Fluorometer

UV/VIS CCD spectrophotometer instrument that allows analysts to collect a full wavelength spectrum absorbance, transmittance or intensity in less than one second.

Products – NCS Germany

SparkCCD 7000 Full spectrum spark emission spectrometer, ideal for quality control and chemical analysis of alloys.

CCD Detectors for Spectroscopy and Scientific

HORIBA offers a complete line of spectroscopic multi-channel detectors for scientific research. For spectral detection from UV to near-IR, two dimensional CCDs and

Selecting a CCD Camera for Spectroscopic Applications

Spectroscopic Charge Coupled Device (CCD) detection systems are available with a wide range of sensors and cooling options. The purpose of this document is to help you to select the most

Full Spectrum Direct Reading Spectrometer | SINOTEST

The Full Spectrum Direct Reading Spectrometer (SparkCCD & Spark 8000 series) by SINOTEST is a high-performance spark optical emission spectrometry (Spark-OES) platform engineered for the

Cytek Full Spectrum Viewer

Looking for a fluorochrome that isn''t listed? Cytek Cloud contains the most up-to-date and comprehensive fluorochrome data and many more helpful tools! cFluor and ViaDye are trademarks

The Star Analyser SA-100 and SA-200

Or, your filter wheel may position the SA-100 so that it''s too close to the CCD sensor for it to create a sufficiently long spectrum. For those scenarios, we offer the Star

Sound Spectrum Analyzer Online

Free online sound spectrum analyzer and frequency analyzer. Live FFT, octave bands, A/C/Z weighting, Leq sessions. Works in your browser, nothing to install.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Blue Cat''s FreqAnalyst

Blue Cat''s FreqAnalyst is a free spectrum analyzer plug-in that lets you monitor the spectral content of your audio signal in real time.This plug-in has been designed

GNR S7 Full-Spectrum Direct-Reading Optical Emission Spectrometer

Overview The GNR S7 Full-Spectrum Direct-Reading Optical Emission Spectrometer is an evolution of GNR''s legacy MetaLab platform—the highest-volume spark-OES system in the company''s history.

Home | Hamamatsu Photonics

The official website of Hamamatsu Corporation whose mission is to advance science and industry through photonic technologies. Our products include optical sensors and components, cameras, light

PROMAX ATLAS IP Portable Analyzer for Broadcast & IP Environments

The PROMAX ATLAS IP Portable Analyzer is designed precisely for this purpose. It is a next-generation portable broadcast analyzer that combines spectrum analysis, IPTV testing,

What is a CCD Detector?

A CCD is a silicon-based multi-channel array detector of UV, visible and near-infra light. These are used for spectroscopy, since they are extremely sensitive to

Choosing a Scientific CCD Detector for Spectroscopy

Indeed, the two-dimensional nature of the detector in such a system enables the simultaneous measurement and analysis of multiple spectra from several spatial locations or sources. CCD choice

Timing diagram for MSGEQ7 spectrum analyzer chip, is it correct?

Re: Timing diagram for MSGEQ7 spectrum analyzer chip, is it correct? From the datasheet the times stated are for the minimum times, therefore I went with 100uS not 18uS, also I

Imaging with CCDs

This involves exposing the CCD to a very uniform light source that produces a featureless and even exposure across the full area of the chip. A flat field image can be obtained by exposing on a twilight

Detectors for Raman Spectroscopy: CCDs, EMCCDs, and InGaAs

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Unsure whether a CCD, EMCCD, or InGaAs detector is best for your Raman application? In this Spectral School tutorial, we discuss the differences between the detectors available for

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://fdsoluciones.es
Technical inquiry: https://fdsoluciones.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved