
Charging the fill light module



Overview

Ensure the "Phone Charging/Recording Cable" is connected to the "DJI OM Multi-Functional Tracking Module" and the phone''s charging port.

Key Takeaways

Fill light modules are typically charged via a USB-C or USB-A port, with device-specific cable requirements and built-in battery indicators to monitor charging status.

DJI Osmo Mobile Fill Light Modules

For DJI O

M series devices, such as the DJI OM Multi-Functional Tracking Module or Fill Light Phone Clamp, the module has a built-in battery and can be charged using a USB-C cable connected to a USB adapter. To charge: Connect the USB-C cable to the module's charging port. Plug the other end into a compatible USB power source (adapter, power bank, or computer).

The indicator light on the module will show the battery level and charging status. Charging is complete when the indicator shows full battery. For modules integrated with the gimbal, such as the DJI OM 7P, ensure the Phone Charging/Recording Cable is connected if you also want to charge your phone simultaneously.

Double-clicking the M button on the gimbal handle can start charging the phone via the module. Important notes: The fill light module may turn off automatically if the temperature is too high or too low. Some functions, like color temperature adjustment, only work when the fill light is powered on.

Always use the recommended cables to avoid charging issues.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Other LED Fill Light Modules

Some LE

D fill lights, like the Leofoto FL-L96, have specific charging behavior: They may not charge via USB-C to USB-C cables, even with PD chargers or power banks. Charging works reliably using USB-A to USB-C cables due to design limitations in USB-C power negotiation. This is a common design characteristic and not necessarily a fault.

General Tips

Always use the cable type recommended by the manufacturer. Avoid using cables that do not support the required power negotiation, especially for USB-C devices. Monitor the indicator lights to confirm charging progress.

Keep the module away from extreme temperatures during charging to prevent automatic shutdown. By following these guidelines, you can ensure your fill light module charges safely and efficiently, whether it's a DJI OM accessory or a standalone LED light.

Article Content

User Guide for Osmo Mobile 7 Series with DJI OM Multi-Functional

Ensure the "Phone Charging/Recording Cable" is connected to the "DJI OM Multi-Functional Tracking Module" and the phone''s charging port. Double-click the M button on the gimbal handle to start

Osmo Mobile 8

Osmo Mobile 8''s Multifunctional Module combines subject tracking for people and pets, fill light, and audio recording to help you create with ease. Even without the module, it connects directly to your

KR20190143375A

The present invention relates to a charge and/or tank flap module (1) for a vehicle, capable of storing or placing at least one interface (200) used to charge and/or fuel an energy storage...

Rev.-No.: EN-1

These Service manual are meant to facilitate the intended use and the safe operation of the chargers of the type FILON FUTURE which are referred to hereinafter merely as charger. The Service manual is

Fill Light Phone Clamp

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

When the fill light is on, press the color temperature button to select the lighting mode (cool, warm, or neutral). The phone clamp has a built-in battery. Connect a USB adapter to the USB

Fill light module and terminal device

the present disclosurediscloses a fill light module to solve the problem that the fill light module of the current terminal device cannot match cameras with different field angles to...

WO/2025/045261 FILL LIGHT MODULE, CLEANING DEVICE,

During use, the fill light module (100) may be connected to other electric appliances by means of the mounting member (110), and the mounting member (110) also provides mounting

GoPro Fluid Pro AI – How to Fix Fill Light Flickering

In this guide we identify the fill light, show how to cool the unit (unplug or power off the gimbal), and explain charging the back port and checking battery level.

Leofoto FL-L96 LED fill light

It will only charge using an old type USB-A to USB-C cable. Other devices charge as expected with any of the above chargers and cables, except of course that some devices such as my

WO/2025/045261 FILL LIGHT MODULE, CLEANING DEVICE,

A fill light module, a cleaning device, a control method and a related device. The fill light module (100) comprises a mounting member (110), a light source (120) and an adjustment member

TP4056 Charging Module—The Ultimate Guide for

The TP4056 module is a compact, ready-to-use board built around the TP4056 IC —a highly integrated linear charger IC designed specifically for

Need help with the following TP4056 board. When charging both ...

Need help with the following TP4056 board. When charging both Blue and Red LEDS light up. Voltmeter reading at OUT+|OUT- is 4.1v, however battery charge doesn''t go above 3.7v even after 4-5 hrs.

battery charging

Im having an issue with TP4056 Lithium Charger Module. Connected the battery 3.7v 150mah battery. When charging the red led is on but it never shuts off and no charge state is

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Charge Port Solutions | Illuminated User Interface EV Charging

Accelerate EV Charging Efficiency and Safety With sustained growth in the electric vehicle (EV) market comes the need to ensure vehicles can be charged as easily and effectively as possible, in a manner

QC4.0 3.0 PD Full Protocol Mobile Phone Fast Charging Module

The fast charging module has voltage, current, power, display, powerful functions, 2. Digital display of voltage, current and power, with separate fast charging indicator light, 3. Using high-quality solid

DIY TP4056 Charging Module

DIY TP4056 Charging Module This project is designed to charge single cells Li-Ion/LiPo/LiFe with protection against overcharge and short circuits.

Rev.-No.: EN-1

The processor card serves as the central control unit in the battery charger and communicates via the CAN interface with the power modules connected in series. The characteristic tables for charging the

What Does the Charging LED Indicator Mean?

Common Charging LED Indicator Patterns Charging LED indicators communicate critical information through colors, blinking patterns, and solid

Contact Us

Continue your research online:

Website: https://fdsoluciones.es
Technical inquiry: https://fdsoluciones.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved