Do you have bundled optical cables for 288



Overview

A 288 strand fiber optic cable contains precisely 288 individual optical fibers bundled within a single protective sheath.

Article Content

288 Strand Fiber Optic Cable with OWIRE Solutions

A 288 strand fiber optic cable contains precisely 288 individual optical fibers bundled within a single protective sheath. Each fiber is capable of transmitting data using pulses of light,

288 core fiber optic cable – 288-Core Fiber Optic Cable

The term “288 core” refers to the number of individual optical fibers bundled within a single cable. Each core, or strand, is capable of transmitting data using pulses of light, enabling

The FOA Reference For Fiber Optics

This has led to two new cable designs, microcables with up to 288 or even 432 fibers and high fiber count cables. High fiber counts began with loose tube cable

Enbeam OS2 Armoured CST Fibre Optic Cable Loose Tube 288 Core

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Enbeam OS2 Singlemode CST Armoured Fibre Optic Cable Loose Tube 288 Core 9/125 HDPE Fca Black, part of a huge range of OS2 fibre optic cables fully stocked at Mayflex.

Opti-Core 144 and 288-Fibre Indoor Ribbon Cables, LSZH and

This cable shall contain 144 or 288 singlemode fibres for high density data center distribution applications. The fibres shall be ribbonized for easy mass fusion splicing and termination with 12-fibre

Multi-Loose Tube Fiber Cable

Product Number: FSSL288ND Outdoor Loose Tube OS2 288 Fibers OSP Sub-Units (12F) Dry FX Outdoor, Loose Tube, OS2, 288 Fibers, OSP, Sub-Units (12F) Dry, Black Jacket Availability: Global

288 Fibre Stranded Loose Tube Cable

Stranded loose tube cable is ideal for short and long-haul, point-to-point and point-to-multipoint backbone applications and can be installed in-duct or direct-buried.

810009727/DB | B-288-LN-8F-M24NS/17T 200 | CommScope

Fiber OSP cable, Zero Water Peak, ® Blown Micro Single Jacket All-Dielectric Outdoor Stranded Loose Tube 200um Fiber Arid-Core ™ Construction, 288 fiber, Singlemode G.657.A1, Gel-filled, Meters

GCCF288 Technical Data Sheet

Universal (Indoor/Outdoor) dry core optical fiber Multi Loose Tube cable with glass yarns as strength member, Corrugated Steel Tape (Full Rodent Protected) armor and Low Smoke Zero Halogen outer

ALTOS® Loose Tube, Gel-Free Cable 288 F, Single-mode (OS2)

The loose tube gel-free design is fully waterblocked using craft-friendly, water-swellable materials, which means cable access is simple and no clean up is required.

Fibre Optical Multi Loose Tube Cable, Indoor-Outdoor, 288F

Physical Characteristics Fibre Count No of Tubes/ Fillers Fibres per tube Loose tube Diameter (mm) CSM OD (mm Cable OD (mm) Cable Weigth (Kg/km) Operating Temperatu re (°C) 288 12 24 2.8

Product Spec Sheet 288FUC-T4101D20

These cables have a medium density polyethylene jacket that is rugged, durable and easy to strip. ALTOS® Lite Loose Tube, Gel-Free, Single-Jacket, Single-Armored Cable, 288 F,

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Fiber Optic Patch Panel: 10 Best Options for 2025 Success

Discover the best fiber optic patch panel options for 2024. Learn how to choose, install, and maintain your fiber network for future growth.

Complete List of ISO/IEC Fiber Optic Cable Standards for Importers

If you are importing Fiber optic cables into Europe, Asia, or South America, “good quality” is not enough. You need the right fiber optic cable Standards paperwork. We have seen containers stuck at

288EV4-14100D53 | SST-UltraRibbon Single-Tube, Gel-Free Cable 288

Corning SST-UltraRibbon gel-free cables continue the innovative breakthrough in outdoor cable technology by introducing a new generation of high-fiber-count gel-free cables. Providing high-fiber

Product Spec Sheet 288EV8-14101-A3

288EV8-14101-A3 Corning UltraRibbon riser gel-free interlocking armored cables continue the innovative breakthrough in indoor cable technology with a new generation of high-fiber

Product Spec Sheet 288EU5-T4101D20

288EU5-T4101D20 ALTOS® gel-free, double-jacket, single-armored cables are rugged, armored cables designed for direct-buried installation while suitable for duct and aerial (lashed) installation. The loose

288EU5-T4101D20 | ALTOS® Loose Tube, Gel-Free,

ALTOS® gel-free, double-jacket, single-armored cables are rugged, armored cables designed for direct-buried installation while suitable for duct and aerial (lashed)

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://fdsoluciones.es
Technical inquiry: https://fdsoluciones.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved