
How to read information from an optical module in Linux



Overview

Use the opticsmon command in scripts or integrated with other monitoring solutions. Running opticsmon without arguments queries the current state of all supported optical modules. The output is given in JSON format. We connect Moduletek SFP-10G-LR transceiver to Intel. To check the details of an SFP module in Red Hat Enterprise Linux (RHEL), you can use the ethtool command., eth0, eth1): For Example: Identifier : 0x03. Every pluggable optical transceiver (SFP, SFP+, QSFP, QSFP28, etc.) ships with a small EEPROM that stores two kinds of information: a fixed Serial-ID block (vendor, part number, serial number, capabilities) and—when provided—a diagnostics area (real-time temperature, voltage, TX/RX power, etc. For problem analysis. I need to collect hardware component inventory from physical systems running RHEL (6 and 7) and its derivatives. It takes the device name (like swp1) as an argument.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Article Content

How To View Optical Transceiver Information On Network Cards In

Special commands are applied to check transceiver data on switches, and Linux systems also support reading transceiver information on network cards. We connect Moduletek SFP-10G-LR

How to check SFP Module transceiver, Vendor name & power check

To check the details of an SFP module in Red Hat Enterprise Linux (RHEL), you can use the ethtool command. Use the following command to check the SFP module details for a specific network interface.

How to Read SFP & QSFP EEPROM Data — Practical Guide

Practical, step-by-step guide to reading and interpreting SFP/QSFP EEPROM and DDM data (A0/A2), with commands, standards notes, and troubleshooting.

opticsmon

Example: Extract raw module data in hex The following pipeline uses jq, base64, and hexdump to produce the raw module EEPROM data for all supported network modules in a human-readable

hardware

To collect info about plugged modules you can use ethtool --module-info command. This command doesn''t require activation of interface. Start from this small script: ...

Monitoring Interfaces and Transceivers Using ethtool

The ethtool command enables you to query or control the network driver and hardware settings. It takes the device name (like swp1) as an argument. When the device name is the only argument to ethtool,

ethtool (8)

If the driver and module support it, the optical diagnostic information is also read and de- coded. When either one of page, bank or i2c parameters is specified, dumps only of a single page or its portion is

How to Check SFP Light Levels Using CLI Commands

Learn how to check SFP light levels using CLI commands and DOM telemetry. Understand Rx/Tx optical power readings, interpret SFF-8472 and CMIS standards, and troubleshoot

Monitoring Interfaces and Transceivers with ethtool | Cumulus Linux 5.9

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Monitor Switch Port SFP and QSFP Hardware Information To see hardware capabilities and measurement information on the SFP or QSFP module in a particular port, use the ethtool -m

How to check the speed and wavelength of an optical module

This guide introduces how to read optical module information when it is installed on a network card in a Linux system. One of the most effective and widely used methods is through the pull-tab color on

How To View Optical Transceiver Information On Network Cards In Linux ...

Optical transceivers can be used on switches, routers and network adapters (fiber network cards). Special commands are applied to check transceiver data on switches, and Linux

Microsoft Options to Migrate SQL Server Databases | Microsoft

Overview This blog supplements the Migrate to Azure SQL documentation and tries to summarize the Microsoft first party ways to copy or migrate SQL Server...

Monitoring Interfaces and Transceivers Using ethtool

Monitor Switch Port SFP/QSFP Hardware Information Using ethtool To see hardware capabilities and measurement information on the SFP or QSFP module installed in a particular port, use the ethtool

hardware

I''m getting ''Cannot get module EEPROM information. Operation not supported'' when trying to pull this info off the interfaces that do not have a link on. Bringing up an interface at the OS

High-Capacity HDDs for PCs, NAS, Gaming, Data Centers, and AI

Western Digital, leaders in digital storage solutions compatible with Mac and PC. FREE shipping, friendly support, and 30-day return policy on storage products.

view optical media and optical drive information in CLI

I have an optical media in an optical drive in a remote headless server. Is it possible to view: 1) optical media capabilities (is it a CD-R, CD-RW,

How to check SFP Module transceiver, Vendor name & power check

SFP modules are commonly used in networking equipment, such as switches, routers, and network interface cards, to provide flexibility in connecting different types of optical and electrical interfaces.

Linux post-installation steps for Docker Engine | Docker Docs

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Find the recommended Docker Engine post-installation steps for Linux users, including how to run Docker as a non-root user and more.

Contact Us

Continue your research online:

Website: https://fdsoluciones.es
Technical inquiry: https://fdsoluciones.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved