Optocoupler Package Construction



Overview

What is Photocoupler | Optocoupler | OptoisolatorAn optocoupler (also known as an optoisolator or Photocoupler) consists of two core components housed with.

Key Takeaways

An optocoupler package houses an infrared LED and a photodetector within a sealed, electrically insulating enclosure, providing optical signal transfer while maintaining electrical isolation.

Core Components

An optocoupler consists of two main elements: the light emitter and the photodetector. The input side contains an infrared LED, typically made from gallium arsenide (GaAs), which emits light in the 850–950 nm wavelength range when forward biased. The output side contains a photodetector, such as a phototransistor, photodiode, or photothyristor, which converts the incoming light back into an electrical signal.

Isolation Barrier

Between the LED and the photodetector lies a transparent, electrically insulating barrier. This barrier ensures galvanic isolation, preventing high voltages or noise from the input side from affecting the output side. The barrier is often formed using a clear epoxy or plastic dome that also acts as the optical medium for light transmission.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Package Types and Construction

Optocouplers are typically encapsulated in hermetic or opaque plastic packages to prevent external light interference. Common formats include 4-pin or 6-pin dual in-line packages (DIP), surface-mount packages, and small-outline packages. Inside the package, the LED and photodetector are mounted on adjacent arms of a lead frame, which is a stamped metal structure providing mechanical support and electrical connections.

The lead frame branches are designed to maintain isolation and allow soldering to external circuits. Some advanced designs, like the co-planar or double-molded side-by-side structure, use a copper-alloy frame with a clear epoxy dome to enhance mechanical robustness and achieve high voltage isolation ratings, sometimes up to 5 kV. Operation within the PackageWhen current flows through the LED, it emits infrared light that travels through the optical medium and strikes the photodetector.

The photodetector then generates a proportional electrical signal. The current-transfer ratio (CTR), defined as the ratio of the photodetector current to the LED current, is a key parameter influenced by the package construction and optical alignment.

Summary

The optocoupler package construction ensures reliable optical coupling while maintaining electrical isolation. Key design elements include the IR LED, photodetector, insulating optical barrier, lead frame, and encapsulating material. Variations in package design allow adaptation to different voltage, size, and mechanical requirements, making optocouplers versatile for both digital and analog isolation applications.

Article Content

What is Photocoupler | Optocoupler | Optoisolator

An optocoupler (also known as an optoisolator or Photocoupler) consists of two core components housed within a single sealed package,

ANO007 | Understanding Phototransistor Optocouplers

In order to design a functionally robust and reliable application with optocouplers, it is essential to understand not only the device''s main parameters and parasitic elements, but also their tolerances

Optocoupler Construction, Working, and important Parameters

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Then an optocoupler or opto-isolator consists of a light emitter, the LED, and a photosensitive receiver which can be a single photo-diode, photo-transistor, photo-resistor, photo

Optocoupler Circuits, Working, Characteristics, Interfacing

This basic optocoupler circuit will specifically respond well to ON/OFF switching input signals. However, if required the circuit can be modified

Optocouplers 101: A Comprehensive Guide for PCB

Learn optocoupler basics, working principles, types, and applications in PCB design. A must-read guide for electrical engineers!

What are Optocouplers? Definition, construction and working of ...

Let''s have a look at the basic diagram of an Optocoupler: The infrared LED and the device that are light sensitive is packed in a single package. The LED is kept on the input side and the light-sensitive

Optoelectronics: Optocouplers

Before investigating commercially manufactured optocouplers, let''s explore what is happening inside an optocoupler IC, by assembling our own home made optocoupler isolation circuit,

AN3020 A Guide to Designing With Optocouplers

As shown, Renesas optocouplers are constructed based upon either single or double mold construction processes and all Renesas optocouplers are rated at MSL level 1.

Optocouplers Guide: Understanding Types, Applications, and ...

An optocoupler consists of two main parts: a light-emitting diode (LED) and a light-sensitive receiver, such as a phototransistor. These components are housed together in a single

What is an Optocoupler A.K.A Opto-isolator or Photocoupler?

Optocoupler or Opto-isolator, Symbol, Construction, Working, Types and Applications In electrical and electronic engineering, we often come up with certain circuits where a digital logic circuit such as a

What is an Optocoupler? Working, Block Diagram & Applications

An optocoupler is a solid state electronic device, which includes a light emitter, light path and a light detector enclosed in single package. It is also referred as optoisolator, since it provides

What are Optocouplers? Definition, construction and working of ...

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

An Optocoupler is a combination of LED and a Photo-diode packed in a single package. As we can see in the below-shown circuit diagram, when a high voltage appears across the input side of the

Optoisolators: What They Are and How They Work | Electrical4U

An optoisolator is an electronic component that transfers electrical signals between two isolated circuits by using light. Optoisolators prevent high voltages from affecting or destroying the

What Is an Optocoupler? Working Principle and Uses

Construction of an Optocoupler An optocoupler typically consists of two main parts: a light-emitting diode (LED) and a photodetector, such as a photodiode, phototransistor, or photo-SCR,

Everything You Need to Know About Optocouplers in Electronics

In terms of textual Representation: An optocoupler, also known as an opto-isolator, is an electronic component that transfers electrical signals between two isolated circuits using light. It

Optocoupler Circuit Operation | Specification | Applications

Optocoupler Circuit Operation: An Optocoupler Circuit Operation (optoelectronic coupler) is essentially a photo-transistor and an LED combined in one package. Figure 20-35 (a) and (b) shows the typical

Optocoupler Design Guide: CTR, IRED, and Construction

Learn optocoupler design with this guide covering Current Transfer Ratio (CTR), IRED driving, and construction. Ideal for electrical engineers.

What is an Optocoupler and How to Choose the Right

Key Components of an Optocoupler The construction of an optocoupler involves several key components: Transmitter (LED) Receiver (photosensitive device)

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://fdsoluciones.es
Technical inquiry: https://fdsoluciones.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved