Viewing Optical Port Transmit and Receive on Huawei Switches



Overview

Run the display transceiver [interface interface-type interface-number | slot slot-id] [verbose] command to view information about the optical module on a specified interface. Checking transceiver parameters allows users to monitor real-time operating status and locate link faults rapidly. We connect Moduletek SFP-10G-LR transceiver to Huawei S6700 switch, and. How Do I View the Transmit and Receive Optical Power of an Optical Module?

Run the display transceiver verbose command. The RX Power (dBM) field in the command output indicates the receive power of the optical module, and the TX Power (dBM) field indicates the transmit power. Serial Number. Taking the Huawei 5700 series switches as an example, the commands to view optical module information are as follows: Transceiver Type :1000_BASE_SX_SFP Connector Type :LC Wavelength(nm) :850 Transfer Distance(m) :300(50um),150(62. 5um) Digital Diagnostic Monitoring :YES Vendor Name. Displaying Optical Module Information You can use the display commands to view information about the optical module on an interface, including conventional information, manufacturing information, and When certifying an optical module, Huawei switches comprehensively verify optical module functions.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

Article Content

Huawei Switches Viewing Optical Port Receiving and Sending

Use the command display transceiver to view the optical module information of all optical ports, and use the command display transceiver interface interface-type interface-number to view the

Displaying Optical Module Information

A switch must use optical or copper modules that have been certified for use on Huawei switches. Non-certified optical or copper modules cannot ensure transmission reliability and may affect service

How To View Optical Transceiver Information On Huawei Switches

Optical transceivers are widely applied in switches, network cards, routers and other communication devices. Checking transceiver parameters allows users to monitor real-time

FAQ-How Do I View the Transmit and Receive Optical Power of an

The Current Rx Power (dBM) field in the command output indicates the current receive power of the optical module, and the Current Tx Power (dBM) field indicates the current transmit power.

How to Check SFP Power in Huawei Switch? Is Your Network

If your network feels sluggish or devices mysteriously disconnect, the culprit might be smaller than you think—buried inside your Huawei switch. SFP power levels (optical ...

Huawei Optical Switch View Optical Module Commands

Taking the Huawei 5700 series switches as an example, the commands to view optical module information are as follows: ... View the general, manufacturing, alarm, and diagnostic

Viewing Optical Module Information on Huawei Switches

For details about the optical modules supported by optical ports on switches, see "Appearance and Structure" of a specific switch model in the Hardware Description.

Checking TX / RX optical power for Huawei Switches and Routers

Here is an example on how to query or display optical power of an interface in a Huawei Router. This is tested using NetEngine40E Universal Service Router or NE40E running version 8.x OS. display

Troubleshooting for Optical Modules on Huawei Switch

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

When the transmit/receive power of the optical ports is too high, optical modules on the ports may be damaged. In this case, connect an attenuator to the optical modules.

Checking optical attenuation configuration on Huawei switches

The following uses the Moduletek SFP-10G-LR module connected to a Huawei S6700 switch as an example to introduce how to read information of the connected optical module on a Huawei switch.

Cisco Command to Check SFP Module Details

Most Cisco optics also support Digital Diagnostic Monitoring (DDM) - a built-in sensor system that reports temperature, voltage, transmit (Tx) and

GPON SFP Class B+ vs Class C+ vs Class C++ FAQ: Expert

Class C++ modules offer the highest transmitted optical power (up to +10 dBm) with the most sensitive receiver, enabling support for up to 60km transmission distances . Class B+ modules

Hilink Optics QSFP QSFPDD OSFP 10G SFP transceiver, Optical

If you have any questions about Hilink Optics CWDM DWDM QSFP QSFPDD OSFP 10G SFP transceivers,we will give the professional solutions to you.

Huawei BTS 3900 Hardware Structure

The document describes the hardware structure and components of the Huawei BTS3900 base station system. The key points are: - The BTS3900 system consists of the BBU3900 baseband processing

Cisco 10GBASE SFP+ Modules Data Sheet

The Cisco® 10GBASE SFP+ modules (Figure 1) give you a wide variety of 10 Gigabit Ethernet connectivity options for data center, enterprise wiring closet, and service provider transport

How Do I View the Transmit and Receive Power of an Optical Module ...

Why Cannot Connected Optical Ports Go Up After Single-Fiber Bidirectional Optical Modules Are Used? How Do I Ensure that the Transmit Power and Receive Power of an Optical Module Are Within

How Do I Check the Transmit and Receive Optical Power of an Optical ...

Run the display interface transceiver verbose command to check the transmit and receive optical power of an optical module. In the command output, Current RX Power (dBm) and Current TX Power (dBm)

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved

How Do I Query the Optical Power of an Interface?

When the receive or transmit power of an optical module exceeds the upper threshold or falls below the lower threshold, the optical module may fail to work properly.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://fdsoluciones.es
Technical inquiry: https://fdsoluciones.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 FD SOLUCIONES OPTICAL SYSTEMS - All rights reserved